

# USING THE K-STATE CENTER PIVOT SPRINKLER AND SDI ECONOMIC COMPARISON SPREADSHEET - 2008

Freddie R. Lamm  
Research Irrigation Engineer  
Northwest Research-Extension Center  
Colby, Kansas  
Voice: 785-462-6281 Fax 785-462-2315  
Email: [flamm@ksu.edu](mailto:flamm@ksu.edu)

Daniel M. O'Brien  
Northwest Area Director  
Northwest Research-Extension Center  
Colby, Kansas  
Voice: 785-462-6281 Fax 785-462-2315  
Email: [dobrien@oznet.ksu.edu](mailto:dobrien@oznet.ksu.edu)

Danny H. Rogers  
Extension Irrigation Engineer  
Biological and Agricultural Engineering  
Manhattan, Kansas  
Voice: 785-532-5813 Fax 785-532-6944  
Email: [drogers@ksu.edu](mailto:drogers@ksu.edu)

Troy J. Dumler  
Extension Agricultural Economist  
Southwest Research-Extension Center  
Garden City, Kansas  
Voice: 620-275-9164 Fax 620-276-6028  
Email: [tdumler@oznet.ksu.edu](mailto:tdumler@oznet.ksu.edu)

Kansas State University

## INTRODUCTION

In much of the Great Plains, the rate of new irrigation development is slow or zero. Although the Kansas irrigated area, as reported by producers through annual irrigation water use reports, has been approximately 3 million acres since 1990, there has been a dramatic shift in the methods of irrigation. During the period since 1990, the number of acres irrigated by center pivot irrigation systems increased from about 50 per cent of the total irrigated acreage base to about 90 percent of the base area. In 1989, subsurface drip irrigation (SDI) research plots were established at Kansas State University Research Stations to investigate SDI as a possible additional irrigation system option. Early industry and producers surveys have indicated a small but steady increase in adoption. In 2004, irrigation water use reports were compiled to obtain a more accurate estimate of SDI acres. 2005 data indicates 9200 acres of fields were exclusively irrigated by SDI systems with another 7600 acres have SDI in combination with another system type. Although Kansas SDI systems represent less than 1 percent of the irrigated area, producer interest still remains high because SDI can potentially have higher irrigation efficiency and irrigation uniformity. As the farming populace and irrigation systems age, there will likely be a continued momentum for conversion to modern pressurized irrigation systems. Both center pivot sprinkler irrigation (CP) and subsurface drip irrigation (SDI) are options available to the producer for much of the Great Plains landscape (low slope and deep silt loam soils). Pressurized irrigation systems in general are a costly investment and this is particularly the case with SDI. Producers need to carefully determine their best investment options.

In the spring of 2002, a free Microsoft Excel<sup>1</sup> spreadsheet template was introduced by K-State Research and Extension for making economic comparisons of CP and SDI. Since that time, the spreadsheet has been periodically updated to reflect changes in input data, particularly system and corn production costs. The spreadsheet also provides sensitivity analyses for key factors. This paper will discuss how to use the spreadsheet and the key factors that most strongly affect the comparisons. The template has five worksheets (tabs), the Main, CF, Field size & SDI life, SDI cost & life, Yield & price tabs. Most of the calculations and the result are shown on the Main tab (Figure 1.).




Figure 1. Main worksheet (tab) of the economic comparison spreadsheet template indicating the 18 required variables (white input cells) and their suggested values when further information is lacking or uncertain.

## ANALYSES METHODS AND ECONOMIC ASSUMPTIONS

There are 18 required input variables required to use the spreadsheet template, but if the user does not know a particular value there are suggested values for each of them. The user is responsible for entering and checking the values in the unprotected input cells. All other cells are protected on the Main worksheet (tab). Some error checking exists on overall field size and some items (e.g. overall results and cost savings) are highlighted differently when different results are indicated. Details and rationales behind the input variables are given in the following sections.

## Field & irrigation system assumptions and estimates

Many of the early analyses assumed that an existing furrow-irrigated field with a working well and pumping plant was being converted to either CP or SDI and this still may be the base condition for some producers. However, the template can also be used to consider options for a currently center pivot irrigated field that needs to be replaced. The major change in the analysis for the replacement CP is that the cost for the new center pivot probably would not have to include buried underground pipe and electrical service in the initial investment cost. The analysis also assumes the pumping plant is located at the center of one of the field edges and is at a suitable location for the initial SDI distribution point (i.e. upslope of the field to be irrigated). Any necessary pump modifications (flow and pressure) for the CP or SDI systems are assumed to be of equal cost and thus are not considered in the analysis. However, they can easily be handled as an increased system cost for either or both of the system types.

Land costs are assumed to be equal across systems for the overall field size with no differential values in real estate taxes or in any government farm payments. Thus, these factors “fall out” or do not economically affect the analyses.

An overall field size of 160 acres (square quarter section) was assumed for the base analysis. This overall field size will accommodate either a 125 acre CP system or a 155 acre SDI system. It was assumed that there would be 5 noncropped acres consumed by field roads and access areas. The remaining 30 acres under the CP system are available for dryland cropping systems.

Irrigation system costs are highly variable at this point in time due to rapid fluctuations in material and energy costs. Cost estimates for the 125 acre CP system and the 155 acre SDI system are provided on the current version of the spreadsheet template, but since this is the overall basis of the comparison, it is recommended that the user apply his own estimates for his conditions. In the base analyses, the life for the two systems is assumed to be 25 and 15 years for the CP and SDI systems, respectively. No salvage value was assumed for either system. This assumption of no salvage value may be inaccurate, as both systems might have a few components that may be reusable or available for resale at the end of the system life. However, with relatively long depreciation periods of 15 and 25 years and typical financial interest rates, the zero salvage value is a very minor issue in the analysis. System life is an important factor in the overall analyses. However, the life of the SDI system is of much greater economic importance in analysis than a similar life for the CP system because of the much higher system costs for SDI. Increasing the system life from 15 to 20 years for SDI would have a much greater economic effect than increasing the CP life from 20 to 25 years.

When the overall field size decreases, thus decreasing system size, there are large changes in cost per irrigated acre between systems. SDI costs are nearly proportional to field size, while CP costs are not proportional to field size (Figure

2). Quadratic equations were developed to calculate system costs when less than full size 160 acre fields were used in the analysis (Obrien et al., 1998):

$$\text{CPcost\%} = 44.4 + (0.837 \times \text{CPsize\%}) - (0.00282 \times \text{CPsize\%}^2) \quad (\text{Eq. 1})$$

$$\text{SDIcost\%} = 2.9 + (1.034 \times \text{SDIsize\%}) - (0.0006 \times \text{SDIsize\%}^2) \quad (\text{Eq. 2})$$

where CPcost% and CPsize%, and SDIcost% and SDIsize% are the respective cost and size % in relation to the full costs and sizes of irrigation systems fitting within a square 160 acre block.




Figure 2. CP and SDI system costs as related to field size. (after O'Brien et al., 1998)

The annual interest rate can be entered as a variable, but is currently assumed to be 8.5%. The total interest costs over the life of the two systems were converted to an average annual interest cost for this analysis. Annual insurance costs were assumed to be 0.25% of each total system cost, but can be changed if better information is available. It is unclear whether insurance can be obtained for SDI systems and if SDI insurance rates would be lower or higher than CP systems. Many of the SDI components are not subject to the climatic conditions that are typically insured hazards for CP systems. However, system failure risk is probably higher with SDI systems which might influence any obtainable insurance rate.

## Production cost assumptions and estimates

The economic analysis expresses the results as an advantage or disadvantage of CP systems over SDI in net returns to land and management. Thus, many fixed costs do not affect the analysis and can be ignored. Additionally, the analysis does not indicate if either system is ultimately profitable for corn production under the assumed current economic conditions.

Production costs were adapted from KSU estimates (Dumler et al., 2007). A listing of the current costs is available on the CF worksheet (tab) (Figure 3) and the user can enter new values to recalculate variable costs that more closely match their conditions. The sum of these costs would become the new suggested Total Variable Costs on the Main worksheet (tab), but the user must manually change the input value on the Main worksheet (White input cell box) for the economic comparison to take effect. *The user may find it easier to just change the differential production costs between the systems on the Main tab rather than changing the baseline assumptions on the CF tab. This will help maintain integrity of the baseline production cost assumptions.*

Factors for Variable Costs		CP	Suggested	SDI	Suggested
Seeding rate, seeds/acre	\$/1000 S	Suggested 34000	← 34000	34000	← 34000
Seed, \$/acre	\$1.49	← \$1.49	\$50.66	\$50.66	← \$50.66
Herbicide, \$/acre			\$30.55	\$30.55	← \$30.55
Insecticide, \$/acre			\$38.70	\$38.70	← \$38.70
Nitrogen fertilizer, lb/acre	\$/lb	Suggested 225	← 225	225	← 225
Nitrogen fertilizer, \$/acre	\$0.29	← \$0.29	\$65.25	\$65.25	← \$65.25
Phosphorus fertilizer, lb/acre	\$/lb	Suggested 45	← 45	45	← 45
Phosphorus fertilizer, \$/acre	\$0.25	← \$0.25	\$11.25	\$11.25	← \$11.25
Crop consulting, \$/acre			\$6.50	\$6.50	← \$6.50
Crop insurance, \$/acre			\$0.00	\$0.00	← \$0.00
Drying cost, \$/acre			\$0.00	\$0.00	← \$0.00
Miscellaneous costs, \$/acre			\$0.00	\$0.00	← \$0.00
Custom hire/machinery expenses, \$/acre			\$124.79	\$124.79	← \$124.79
Other non-fieldwork labor, \$/acre			\$0.00	\$0.00	← \$0.00
Irrigation labor, \$/acre			\$5.00	\$5.00	← \$5.00
Irrigation amounts, inches			17	13	← 13
Fuel and oil for pumping, \$/inch			\$6.75	\$6.75	← \$6.75
Fuel and oil for pumping, \$/acre			\$114.75	\$87.75	← \$87.75
Irrigation maintenance and repairs, \$/inch			\$0.33	\$0.33	← \$0.33
Irrigation maintenance and repairs, \$/acre		Suggested	\$5.61	\$4.29	← \$4.29
1/2 yr. interest on variable costs, rate	8%	← 8%	\$18.12	\$16.99	← \$16.99
<b>Total Variable Costs</b>			<b>\$471.18</b>	<b>\$441.73</b>	These values are <b>suggested</b> values on Main tab.

Figure 3. CF worksheet (tab) of the economic comparison spreadsheet template and the current production cost variables. Note that the sums at the bottom of the CF worksheet are the suggested values for total variable costs on the Main worksheet (tab).

The reduction in variable costs for SDI is attributable to an assumed 25% net water savings that is consistent with research findings by Lamm et al. (1995). This translates into a 17 and 13 inch gross application amount for CP and SDI, respectively. The current estimated production costs are somewhat high reflecting increased energy and other related input costs, but fortunately crop revenues have also increased due to high demand for corn for ethanol production. This fact is pointed out because a lowering of overall variable costs favors SDI, since more irrigated cropped acres are involved, while higher overall variable costs favors CP production. The variable costs for both irrigation systems represent typical practices for western Kansas.

### Yield and revenue stream estimates

Corn grain yield is currently estimated at 220 bushels/acre in the base analysis with a corn price of \$4.00/bushel (See values on Main worksheet). Net returns for the 30 cropped dryland acres for the CP system (corners of field) were assumed to be \$35.00/acre which is essentially the current dryland crop cash rent estimate for Northwest Kansas. Government payments related to irrigated crop production are assumed to be spread across the overall field size, and thus, do not affect the economic comparison of systems.

### Sensitivity analyses

Changes in the economic assumptions can drastically affect which system is most profitable and by how much. Previous analyses have shown that the system comparisons are very sensitive to assumptions about

- Size of CP irrigation system
- Shape of field (full vs. partial circle CP system)
- Life of SDI system
- SDI system cost

with advantages favoring larger CP systems and cheaper, longer life SDI systems.

The results are very sensitive to

- any additional production cost savings with SDI.

The results are moderately sensitive to

- corn yield
- corn price
- yield/price combinations

and very sensitive to

- higher potential yields with SDI

with advantages favoring SDI as corn yields and price increase.

The economic comparison spreadsheet also includes three worksheet (tabs) that display tabular and graphical sensitivity analyses for field size and SDI system



life, SDI system cost and life, and corn yield and selling price (Figure 4). These sensitivity analysis worksheets automatically update when different assumptions are made on the Main worksheet.




Figure 4. The Field size & SDI life worksheet (tab) sensitivity analysis. Note this is one of three worksheets (tabs) providing tabular and graphical sensitivity analyses. These worksheets automatically update to reflect changing assumptions on the Main worksheet (tab).

### SOME KEY OBSERVATIONS FROM PREVIOUS ANALYSES

Users are encouraged to “experiment” with the input values on the Main worksheet (tab) to observe how small changes in economic assumptions can vary the bottom line economic comparison of the two irrigation systems. The following discussion will give the user “hints” about how the comparisons might be affected.

Smaller CP systems and systems which only complete part of the circle are less competitive with SDI than full size 125 acre CP systems. This is primarily because the CP investment costs (\$/ irrigated acre) increase dramatically as field size decreases (Figure 2 and 4) or when the CP system cannot complete a full circle.

Increased longevity for SDI systems is probably the most important factor for SDI to gain economic competitiveness with CP systems. A research SDI system at the KSU Northwest Research-Extension Center in Colby, Kansas has been operated for 18 years with very little performance degradation, so long system life is possible. There are a few SDI systems in the United States that have been operated for over 25 years without replacement (Lamm and Camp, 2007). However, a short SDI system life that might be caused by early failure due to clogging, indicates a huge economic disadvantage that would preclude nearly all adoption of SDI systems (Figure 4). Although SDI cost is an important factor, long SDI system life can help reduce the overall economic effect (Figure 5). The CP advantage for SDI system lives between 15 and 20 years is greatly diminished as compared to the difference between 10 and 15 year SDI system life. The sensitivity of CP system life and cost is much less because of the much lower initial CP cost and the much longer assumed life. In areas where CP life might be much less than 25 years due to corrosive waters, a sensitivity analysis with shorter CP life is warranted.




Figure 5. The SDI cost and life worksheet (tab) sensitivity analysis. Note this is one of three worksheets (tabs) providing tabular and graphical sensitivity analyses. These worksheets automatically update to reflect changing assumptions on the Main worksheet (tab).



The present baseline analysis already assumes a 25% water savings with SDI. There are potentially some other production cost savings for SDI such as fertilizer and herbicides that have been reported for some crops and some locales. Small changes in the assumptions can make a sizable difference.

It has already been stated that higher corn yields and higher corn prices favor the SDI economics. These results can be seen on the Yield and Price sensitivity worksheet (tab) on the Excel template (Figure 6). This result occurs because of the increased irrigated area for SDI in the given 160 acre field. The significance of yield and price can be illustrated by taking one step further in the economic analysis, that being the case where there is a yield difference between irrigation systems. Combining a higher overall corn yield potential with an additional small yield advantage for SDI on the Main tab can allow SDI to be very competitive with CP systems.




Figure 6. The Yield and Price worksheet (tab) sensitivity analysis. Note this is one of three worksheets (tabs) providing tabular and graphical sensitivity analyses. These worksheets automatically update to reflect changing assumptions on the Main worksheet (tab).

## AVAILABILITY OF FREE SOFTWARE

A Microsoft Excel spreadsheet template has been developed to allow producers to make their own comparisons. It is available on the SDI software page of the K-State Research and Extension SDI website at <http://www.oznet.ksu.edu/sdi/>.

## REFERENCES

- Dumler, T. J., D. M. O'Brien, C. R. Thompson and B. L. S. Olson. 2007. Center-pivot-irrigated corn cost-return budget in Western Kansas. KSU Farm Management Guide, MF-585. Manhattan, Kansas. 4 pp.
- Lamm, F. R. and C. R. Camp. 2007. Subsurface drip irrigation. Chapter 13 in Microirrigation for Crop Production - Design, Operation and Management. F.R. Lamm, J.E. Ayars, and F.S. Nakayama (Eds.), Elsevier Publications. pp. 473-551.
- Lamm, F. R., H. L. Manges, L. R. Stone, A. H. Khan, and D. H. Rogers. 1995. Water requirement of subsurface drip-irrigated corn in northwest Kansas. Trans. ASAE, 38(2):441-448.
- O'Brien, D. M., D. H. Rogers, F. R. Lamm, and G. A. Clark. 1998. An economic comparison of subsurface drip and center pivot sprinkler irrigation systems. App. Engr. in Agr. 14(4):391-398.

<sup>1</sup> *Mention of tradenames is for informational purposes and does not constitute endorsement by Kansas State University.*

***This paper was first presented at the 19<sup>th</sup> annual Central Plains Irrigation Conference, February 19-20, 2007, Greeley, Colorado.***

***Contribution No. 08-245-A from the Kansas Agricultural Experiment Station.***

The correct citation is

Lamm, F. R., D. M. O'Brien, D. H. Rogers, and T. J. Dumler. 2008. **Using the K-State center pivot sprinkler and SDI economic comparison spreadsheet – 2008.** In: Proc. Central Plains Irrigation Conference, Greeley, CO., Feb. 19-20, 2008. Available from CPIA, 760 N.Thompson, Colby, KS. pp. 61-70.